


- Category**
- Rod Wiper, Snap Fit
- Construction**
- 54d Polyester
- Housing**
- Open rectangular groove in one piece gland
- Duty**
- Light to medium
- Features**
- Heel pressure release ribs
 - External lip for improved dirt exclusion
- Manufacturer**
- Hallite
- Size Range**
- Metric

Metric Specifications

Operating Conditions	Maximum Speed:	4.0 m/sec
	Temperature Range:	-40°C ~ 120°C
Surface Finish	Dynamic Sealing Face:	0.1 ~ 0.4 µmRa
	Static Sealing Face:	1.6 µmRa max
	Other Faces:	3.2 µmRa max

Imperial Specifications

Operating Conditions	Maximum Speed:	12.0 ft/sec
	Temperature Range:	-40°F ~ 250°F
Surface Finish	Dynamic Sealing Face:	4 ~ 16 µinCLA
	Static Sealing Face:	63 µinCLA max
	Other Faces:	125 µinCLA max




Metric Sizes

Part No.	Ød	ØD	H	ØT	t
<i>Tolerances</i>		<i>H11 +0.50 -0 H11</i>			
RWM-18-24-5-38	18.00	24.00	5.00	21.00	6.50
RWM-20-28-5-38	20.00	28.00	5.00	25.50	8.00
RWM-22-30-5-38	22.00	30.00	5.00	27.50	8.00
RWM-25-33-5-38	25.00	33.00	5.00	30.50	8.00
RWM-28-36-5-38	28.00	36.00	5.00	33.50	8.00
RWM-30-38-5-38	30.00	38.00	5.00	35.50	8.00
RWM-30-41.2-7.5-38	30.00	41.20	7.50	37.00	10.00
RWM-32-40-5-38	32.00	40.00	5.00	37.50	7.00
RWM-35-43-5-38	35.00	43.00	5.00	40.50	8.00
RWM-36-44-5-38	36.00	44.00	5.00	41.50	8.00
RWM-40-48-5-38	40.00	48.00	5.00	45.50	8.00
RWM-45-53-5-38	45.00	53.00	5.00	50.50	8.00
RWM-50-58-5-38	50.00	58.00	5.00	55.50	8.00
RWM-50-58.6-5.3-38	50.00	58.60	5.30	53.00	7.00
RWM-50-60.6-5.3-38	50.00	60.60	5.30	53.00	7.00
RWM-55-65.6-5.3-38	55.00	65.60	5.30	58.00	7.00
RWM-56-66-6.3-38	56.00	66.00	6.30	63.00	10.00
RWM-56-66.6-5.3-38	56.00	66.60	5.30	59.00	7.00
RWM-60-70-5.3-38	60.00	70.00	5.30	66.00	7.00
RWM-60-70-6.3-38	60.00	70.00	6.30	67.00	10.00
RWM-60-70.6-5.3-38	60.00	70.60	5.30	63.00	7.00
RWM-63-73-6.3-38	63.00	73.00	6.30	70.00	10.00
RWM-63-73.6-5.3-38	63.00	73.60	5.30	66.00	7.00
RWM-65-75-6.3-38	65.00	75.00	6.30	68.00	10.00
RWM-67-75-7.6-38	67.00	75.00	7.60	71.00	9.60
RWM-70-80-6.3-38	70.00	80.00	6.30	77.00	10.00
RWM-70-80.6-5.3-38	70.00	80.60	5.30	73.00	7.00
RWM-70-82.2-7.2-38	70.00	82.20	7.20	76.00	12.00
RWM-75-83.6-5.3-38	75.00	83.60	5.30	78.00	7.00
RWM-75-85-6.3-38	75.00	85.00	6.30	82.00	10.00
RWM-75-87.2-7.2-38	75.00	87.20	7.20	81.00	12.00
RWM-80-90-6.3-38	80.00	90.00	6.30	87.00	8.80
RWM-80-91-7.5-38	80.00	91.00	7.50	85.00	11.00
RWM-81-89-7.5-38	81.00	89.00	7.50	86.50	9.50
RWM-85-98-7.5-38	85.00	98.00	7.50	92.00	11.50
RWM-88-100.2-7.2-38	88.00	100.20	7.20	94.00	12.00

Metric Sizes (cont'd)

Part No.	Ød	ØD	H	ØT	t
RWM-90-100-6.3-38	90.00	100.00	6.30	97.00	8.80
RWM-90-102.2-7.2-38	90.00	102.20	7.20	96.00	12.00
RWM-96-104-7.5-38	96.00	104.00	7.50	101.50	9.50
RWM-100-110.6-5.3-38	100.00	110.60	5.30	104.00	7.00
RWM-100-112.2-7.2-38	100.00	112.20	7.20	106.00	12.00
RWM-100-115-9.5-38	100.00	115.00	9.50	110.00	14.00
RWM-105-113-5-38	105.00	113.00	5.00	110.50	8.00
RWM-105-120-7.2-38	105.00	120.00	7.20	112.00	12.00
RWM-110-122.2-7.2-38	110.00	122.20	7.20	116.00	12.00
RWM-110-125-9.5-38	110.00	125.00	9.50	120.00	14.00
RWM-113-121-7.5-38	113.00	121.00	7.50	118.50	9.50
RWM-115-127.2-7.2-38	115.00	127.20	7.20	121.00	12.00
RWM-120-132-7.1-38	120.00	132.00	7.10	126.00	11.00
RWM-120-132.2-7.2-38	120.00	132.20	7.20	126.00	12.00
RWM-120-135-9.5-38	120.00	135.00	9.50	130.00	14.00
RWM-125-133-5.3-38	125.00	133.00	5.30	130.80	7.00
RWM-125-137.2-7.7-38	125.00	137.20	7.70	131.00	12.00
RWM-125-140-9.5-38	125.00	140.00	9.50	135.00	14.00
RWM-128-143-9.5-38	128.00	143.00	9.50	138.00	14.00
RWM-130-142.2-7.2-38	130.00	142.20	7.20	136.00	12.00
RWM-131-141-7.5-38	131.00	141.00	7.50	138.00	9.50
RWM-132-144.2-7.2-38	132.00	144.20	7.20	138.00	12.00
RWM-135-150-9.5-38	135.00	150.00	9.50	145.00	14.00
RWM-140-152.2-7.7-38	140.00	152.20	7.70	146.00	12.00
RWM-140-155-9.5-38	140.00	155.00	9.50	150.00	14.00
RWM-145-160-9.5-38	145.00	160.00	9.50	155.00	14.00
RWM-150-162.2-7.7-38	150.00	162.20	7.70	156.00	12.00
RWM-150-165-7.2-38	150.00	165.00	7.20	158.60	12.00
RWM-150-165-10.2-38	150.00	165.00	10.20	157.60	16.00
RWM-150-166-8-38	150.00	166.00	8.00	161.00	12.00
RWM-152-162-7.5-38	152.00	162.00	7.50	159.00	9.50
RWM-155-163-5-38	155.00	163.00	5.00	160.50	8.00
RWM-155-167.2-7.7-38	155.00	167.20	7.70	161.00	12.00
RWM-155-175-10.2-38	155.00	175.00	10.20	165.00	18.00
RWM-160-175-9.5-38	160.00	175.00	9.50	170.00	14.00
RWM-160-172.2-7.7-38	160.00	172.20	7.70	166.00	12.00
RWM-160-175-10.2-38	160.00	175.00	10.20	167.00	16.00



Metric Sizes (cont'd)

Part No.	Ød	ØD	H	ØT	t
<i>Tolerances</i>		<i>H11 +0.50-0 H11</i>			
RWM-165-180-9.5-38	165.00	180.00	9.50	175.00	14.00
RWM-170-180.6-5.3-38	170.00	180.60	5.30	174.00	7.00
RWM-170-182.2-7.7-38	170.00	182.20	7.70	176.00	12.00
RWM-170-185-9.5-38	170.00	185.00	9.50	180.00	14.00
RWM-175-185-7.5-38	175.00	185.00	7.50	182.00	9.50
RWM-180-195-9.5-38	180.00	195.00	9.50	190.00	14.00
RWM-180-200-10.2-38	180.00	200.00	10.20	190.00	18.00
RWM-190-205-10.2-38	190.00	205.00	10.20	197.50	16.00
RWM-195-210-10.2-38	195.00	210.00	10.20	202.50	16.00
RWM-200-208.6-5.3-38	200.00	208.60	5.30	203.00	7.00
RWM-200-210-7.5-38	200.00	210.00	7.50	207.00	9.50
RWM-200-215-9.5-38	200.00	215.00	9.50	210.00	14.00
RWM-200-220-10.2-38	200.00	220.00	10.20	210.00	18.00
RWM-205-220-9.5-38	205.00	220.00	9.50	215.00	14.00
RWM-210-225-9.5-38	210.00	225.00	9.50	220.00	14.00
RWM-210-230-10.2-38	210.00	230.00	10.20	220.00	18.00
RWM-212-232-12.5-38	212.00	232.00	12.50	220.00	18.00
RWM-220-235-10.2-38	220.00	235.00	10.20	227.60	16.00
RWM-220-240-12.5-38	220.00	240.00	12.50	233.50	18.00
RWM-225-240-9.5-38	225.00	240.00	9.50	235.00	14.00
RWM-225-245-10.2-38	225.00	245.00	10.20	235.00	18.00
RWM-230-238.6-5.3-38	230.00	238.60	5.30	233.00	7.00
RWM-230-246-7.5-38	230.00	246.00	7.50	240.70	12.00
RWM-230-250-10.2-38	230.00	250.00	10.20	240.00	18.00
RWM-235-255-10.2-38	235.00	255.00	10.20	245.00	18.00
RWM-240-255-9.5-38	240.00	255.00	9.50	250.00	14.00
RWM-240-260-10.2-38	240.00	260.00	10.20	250.00	18.00
RWM-245-265-12.5-38	245.00	265.00	12.50	258.50	18.00
RWM-250-270-10.2-38	250.00	270.00	10.20	260.00	18.00
RWM-250-270-12.5-38	250.00	270.00	12.50	263.50	18.00
RWM-255-270-9.5-38	255.00	270.00	9.50	265.00	14.00
RWM-260-275-9.5-38	260.00	275.00	9.50	270.00	14.00
RWM-260-280-10.2-38	260.00	280.00	10.20	270.50	18.00
RWM-265-285-10.2-38	265.00	285.00	10.20	275.00	15.00
RWM-270-278.6-5.3-38	270.00	278.60	5.30	273.00	7.00
RWM-280-295-9.5-38	280.00	295.00	9.50	290.00	14.00

Metric Sizes (cont'd)

Part No.	Ød	ØD	H	ØT	t
RWM-285-305-12.5-38	285.00	305.00	12.50	298.50	18.00
RWM-288-308-10.2-38	288.00	308.00	10.20	301.50	18.00
RWM-290-310-12.5-38	290.00	310.00	12.50	303.50	18.00
RWM-300-316-7.5-38	300.00	316.00	7.50	310.70	12.00
RWM-300-320-12.5-38	300.00	320.00	12.50	313.50	18.00
RWM-305-325-12.5-38	305.00	325.00	12.50	318.50	18.00
RWM-320-340-10.2-38	320.00	340.00	10.20	330.00	18.00
RWM-330-346-7.5-38	330.00	346.00	7.50	340.70	12.00
RWM-340-360-10.2-38	340.00	360.00	10.20	350.00	18.00
RWM-350-370-10.2-38	350.00	370.00	10.20	360.00	18.00
RWM-355-375-10.2-38	355.00	375.00	10.20	365.00	18.00